

Safety Data Sheet
Red universal Gear Oil 85W140

SECTION I - IDENTIFICATION

PRODUCT NAME: Red universal Gear Oil 85W140
PRODUCT CODE: L180
PRODUCT USE: Industrial Gear Oil
COMPANY NAME: QuestSpecialty Corporation
COMPANY ADDRESS: PO Box 624 Brenham, TX 77834
COMPANY PHONE: 1-800-231-0454
EMERGENCY PHONE: 800-255-3924

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Does not present a hazard according to OSHA (29CFR 1910.1200)
HAZARD STATEMENT(S): N/A
This product contains the following percentage of chemicals of unknown toxicity: 0%
PRECAUTIONARY STATEMENTS: N/A
SYMBOL: N/A
HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Does not contain any hazardous ingredients at or above reportable levels as defined by OSHA (29CFR 1910.1200)	N/A	N/A

SECTION IV - FIRST AID MEASURES

EYES: Immediately flush with water for 15 - 20 minutes while holding eyelids open. Seek medical attention if irritation persists.
INGESTION: If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.
INHALATION: Move to fresh air. If breathing is difficult or unconscious, administer oxygen. If not breathing administer artificial respiration. Seek medical attention if irritation persists.
SKIN: Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation develops.
ACUTE HEALTH HAZARDS: None Known
CHRONIC HEALTH HAZARDS: None known
NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical or suitable for surrounding materials.
UNSUITABLE EXTINGUISHING MEDIA: Water spray/stream.
SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep away from oxygen generating materials.
HAZARDOUS COMBUSTION PRODUCTS: N/A

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.
SPILL: Clean up using cloth or absorbent material. dispose of product-containing wiping cloth or absorbent paper in suitable manner. place waste in proper containers for waste disposal.
WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.
RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

Safety Data Sheet
Red universal Gear Oil 85W140

SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a cool, dry area. Do not use or store near heat or open flames. Keep container tightly closed when not in use.

OTHER PRECAUTIONS: Keep out of the reach of children.

INCOMPATIBILITY: Strong acids & bases; material that react with unsaturated hydrocarbons.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Highly Refined Petroleum Oil	5 mg/m ³	5 mg/m ³
Additives	N/A	N/A

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation adequate.

RESPIRATORY PROTECTION: Not required with normal use.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses and chemical resistant gloves

ADDITIONAL MEASURES: Wash hands thoroughly with soap and water after use.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear green liquid

ODOR: Slight Petroleum

ODOR THRESHOLD: N/D

BOILING POINT: Decomposes

FREEZING POINT: N/D

FLAMMABILITY: Not considered a flammable liquid by OSHA (29CFR 1910.1200)

FLASH POINT: >425°F (218°C)

AUTOIGNITION TEMPERATURE: N/D

LOWER FLAMMABILITY LIMIT: N/D

UPPER FLAMMABILITY LIMIT: N/D

VAPOR PRESSURE (mm Hg): <1.0mmHg @ 77°F (25°C)

VAPOR DENSITY (AIR=1): < 1

EVAPORATION RATE: N/A

SPECIFIC GRAVITY (H₂O=1): .910

pH: N/A

SOLIDS (%): N/D

SOLUBILITY IN WATER: 0%

PARTITION COEFFICIENT: n-OCTANOL/WATER (K_{ow}): N/D

VOLATILITY INCLUDING WATER (%): 0%

VOLATILE ORGANIC COMPOUNDS (VOC): 0%

DIELECTRIC STRENGTH (Volts): N/D

DECOMPOSITION TEMPERATURE: N/D

VISCOSITY: > 45cSt @ 40°C

SECTION X – STABILITY AND REACTIVITY DATA

REACTIVITY: None Known

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Sources of ignition.

INCOMPATIBILITY: Strong acids & bases; material that react with unsaturated hydrocarbons.

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: None Known

POSSIBLE HAZARDOUS REACTIONS: None Known

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Not Established

ROUTES OF ENTRY: Eyes, Ingestion, Skin

Safety Data Sheet
Red universal Gear Oil 85W140

EYES: Causes irritation.

INGESTION: Causes gastrointestinal irritation, nausea, diarrhea, vomiting.

INHALATION: Irritant. Avoid breathing spray mist. May cause irritation to respiratory tract.

SKIN: Causes irritation with prolonged contact.

MEDICAL CONDITION AGGRAVATED: None known

ACUTE HEALTH HAZARDS: None Known

CHRONIC HEALTH HAZARDS: None known

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

SECTION XII – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not Established

BIODEGRADABILITY: N/D

BIOACCUMULATION: This product is not expected to bioaccumulate.

SOIL MOBILITY: This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None Known

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Lubricating Oil Petroleum Base, Non-regulated

HAZARD CLASS/DIVISION: Not Regulated

UN/NA NUMBER: N/A

PACKAGING GROUP: None

AIR SHIPMENT

PROPER SHIPPING NAME: Lubricating Oil Petroleum Base, Non-regulated

HAZARD CLASS/DIVISION: Not Regulated

UN/NA NUMBER: N/A

SHIPPING BY WATER:

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Lubricating Oil Petroleum Base, Non-regulated

HAZARD CLASS/DIVISION: Not Regulated

UN/NA NUMBER: N/A

ENVIRONMENTAL HAZARDS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None

SARA 311/312 HAZARD CATEGORIES: None

SARA 313 REPORTABLE INGREDIENTS: None

STATE REGULATIONS: California Proposition 65: None

INTERNATIONAL REGULATIONS: All components are listed or exempted.

NFPA HEALTH: 1

HMIS HEALTH: 1

NFPA FLAMMABILITY: 1

HMIS FLAMMABILITY: 1

NFPA REACTIVITY: 0

HMIS REACTIVITY: 0

NFPA OTHER: None

HMIS PROTECTION: A

Safety Data Sheet
Red universal Gear Oil 85W140

SECTION XVI - ADDITIONAL INFORMATION

PREPARATION BY: Jonathon Jarvis

DATE PREPARED: 09/02/2014

REVISION DATE: 02/27/2015

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.